Listing of Claims:

    Claims 1-36 (Canceled).

    37. (Currently Amended) A method comprising:

    acquiring a caller's number of a portable communication

terminal, when the portable communication terminal accesses ~~the~~ a

server through a network;

5   causing the portable communication terminal to display

thumbnails corresponding to pre-stored images on the server that

were pre-stored by a device other than the portable communication

terminal;

    determining, at the server, whether the portable

10   communication terminal has issued a registration command to

register at least one of the pre-stored images on the server

corresponding to at least one of the thumbnails displayed by the

portable communication terminal; and

    relating, at the server, the at least one selected image

15   with the caller's number of the portable communication

terminal and storing the selected image in association with the

caller's number of the portable communication terminal when it is

determined that the portable communication terminal has issued

the registration command.

38. (Currently Amended) A print method comprising:

connecting a portable communication terminal to a server through a network;

displaying, on the portable communication terminal, thumbnails corresponding to pre-stored images on the server <u>that were pre-stored by a device other than the portable communication terminal</u>;

selecting, at the portable communication terminal, at least one of the thumbnails;

transmitting, from the portable communication terminal to the server, a registration command for relating the at least one pre-stored image corresponding to the at least one selected thumbnail with a caller's number of the portable communication terminal, and storing the at least one selected image in association with the related caller's number <u>of the portable communication terminal</u> on the server;

disconnecting the portable communication terminal from the server;

connecting a printer to the server through the portable communication terminal, when it is determined that a print command has been issued at the printer;

transmitting a download request from the printer to the server after the print command has been issued;

-3-

receiving at the printer the at least one image stored in

25 association with the related caller's number <u>of the portable</u>
<u>communication terminal</u>, which is transmitted from the server in
response to the download request; and

printing at the printer the at least one received image.

39. (Currently Amended) A print system comprising:

means for connecting a portable communication terminal to a
server through a network;

means for acquiring a caller's number of the portable

5 communication terminal, when the portable communication terminal
accesses the server;

means for displaying, on the portable communication
terminal, thumbnails corresponding to pre-stored images on the
server <u>that were pre-stored by a device other than the portable</u>

10 <u>communication terminal</u>;

means for selecting, at the portable communication terminal,
at least one of the thumbnails;

means for relating, at the server, the at least one selected
pre-stored image with the caller's number <u>of the portable</u>

15 <u>communication terminal</u> and for storing the at least one selected
image in association with the caller's number <u>of the portable</u>
<u>communication terminal</u>;

means for disconnecting the portable communication terminal
from the server;

20   means for connecting a printer to the server through the
portable communication terminal when a print command is issued at
the printer;

means for transmitting a download request from the printer
to the server after the print command has been issued;

25   means for receiving the at least one image stored in
association with the related caller's number of the portable
communication terminal, which is transmitted from the server in
response to the download request; and

means for controlling the printer to print the at least one
30   received image.